



LED BUBBLE LIGHT

LiteMagic's LED bubble light series adopt streamlined aluminum alloy shell which has exquisite appearance. Professional structure design team gives the bubble light perfect heat dissipation performance, effectively control of the junction temperature. Moreover, Smart constant current driver module effectively controls the brightness, color temperature and give perfect expression of color rendering among the LED industry.

LiteMagic's LED bubble light's working voltage is AC100V-240V, with 5 x1W high power LED, luminous flux up to 400lm. LiteMagic's LED bubble light can fit international standard lamp holder E27 or GU10. Transparent PC cover and frosted spherical cover provide smooth and soft light.

LiteMagic's bubble light series are high efficient, energy saving and environmental friendly products. With the long lifespan over 35,000 hours (typical), the LED bubble lights are ideal replacement for traditional ones.

Features:

- ◆ 1W high power LED.
- ◆ Patented packaging technology and heat dissipation design ensure the heat disperses quickly.
- ◆ Over 35000 hours lifespan.
- ◆ No infrared and UV, No harm to human.
- ◆ Smart constant current control circuit to eliminate flicker and ripple, present smooth natural light.
- ◆ Excellent color rendering (CRI>90), it makes the illuminated object looks natural and vividly.
- ◆ Excellent heat dissipation design based on aluminum alloy structure, the surface temperature is below 65 ° C, more safe and stable.
- ◆ Working frequency is up to 47-63Hz.
- ◆ CE and ROHS certified.

Applications:

- ◆ Interior accent lighting and perimeter lighting.
- ◆ Museum lighting.
- ◆ Scene lighting such as valley, restaurant, hotel, etc.
- ◆ Contour, house decoration, signage. Façade, etc.

SPECIFICATIONS

LED	High Power LED
Lamp Holder	GU10
Outside Diameter Size	60mm
Material	Gold / Silver / Black aluminum alloy shell
Cover	Crystal / Matte
LED Color	White
Luminous Flux(lm)	400lm
Voltage(V)	100 ~ 240VAC/DC
Power	5W
Working Temperature(°C)	-10°C ~ +40°C
Storage Temperature(°C)	-40°C ~ +70°C
Color Temperature(k)	6000k
Weight(g)	120g
Packing	35pcs / ctn

SPECIFICATIONS


LED	High Power LED
Lamp Holder	GU10
Outside Diameter Size	60mm
Material	Gold / Silver / Black aluminum alloy shell
Cover	Crystal / Matte
LED Color	Warm White
Luminous Flux(lm)	400lm
Voltage(V)	100 ~ 240VAC/DC
Power	5W
Working Temperature(°C)	-10°C ~ +40°C
Storage Temperature(°C)	-40°C ~ +70°C
Color Temperature(k)	2900k
Weight(g)	120g
Packing	35pcs / ctn



GU10 5W White



GU10 5W Warm White




Note:

- ◆ Indoor use only, IP54.
- ◆ Do not touch lamp surface when power is on.
- ◆ Do not watch the light-emitting surface directly.
- ◆ Please choose the right power supply to match the product.
- ◆ Please make sure the power is off before installation.

Note :

- ◆ Indoor use only, IP54.
- ◆ Do not touch lamp surface when power is on.
- ◆ Do not watch the light-emitting surface directly.
- ◆ Please choose the right power supply to match the product.
- ◆ Please make sure the power is off before installation.



Order Information

LB60G10A2-120-5*1CW60-00	GU10, 5W, 100-240VAC / DC, 6000k, matt, white
LB60G10A2-120-5*1CW60-10	GU10, 5W, 100-240VAC / DC, 6000k, crystal, white

Order Information

LB60G10A2-120-5*1WW29-00	GU10, 5W , 100-240VAC / DC, 2900k, matt, warm white
LB60G10A2-120-5*1WW29-10	GU10, 5W , 100-240VAC / DC, 2900k, crystal, warm white

SPECIFICATIONS

LED	High Power LED
Lamp Holder	E27
Outside Diameter Size	60mm
Material	Gold / Silver / Black aluminum alloy shell
Cover	Crystal / Matte
LED Color	White
Luminous Flux(lm)	400lm
Voltage(V)	100 ~ 240VAC/DC
Power	5W
Working Temperature(°C)	-10°C ~ +40°C
Storage Temperature(°C)	-40°C ~ +70°C
Color Temperature(k)	6000k
Weight(g)	120g
Packing	35pcs / ctn

SPECIFICATIONS


LED	High Power LED
Lamp Holder	E27
Outside Diameter Size	60mm
Material	Gold / Silver / Black aluminum alloy shell
Cover	Crystal / Matte
LED Color	Warm White
Luminous Flux(lm)	400lm
Voltage(V)	100 ~ 240VAC / DC
Power	5W
Working Temperature(°C)	-10°C ~ +40°C
Storage Temperature(°C)	-40°C ~ +70°C
Color Temperature(k)	2900k
Weight(g)	120g
Packing	35pcs / ctn



E27 5W White



E27 5W Warm White




Note:

- ◆ Indoor use only, IP54.
- ◆ Do not touch lamp surface when power is on.
- ◆ Do not watch the light-emitting surface directly.
- ◆ Please choose the right power supply to match the product.
- ◆ Please make sure the power is off before installation.

Note:

- ◆ Indoor use only, IP54.
- ◆ Do not touch lamp surface when power is on.
- ◆ Do not watch the light-emitting surface directly.
- ◆ Please choose the right power supply to match the product.
- ◆ Please make sure the power is off before installation.



Order Information

LB60E27A2-F-5*1CW60-00	E27, 5W, 100-240VAC / DC, 6000k, matt, white
LB60E27A2-F-5*1CW60-10	E27, 5W, 100-240VAC / DC, 6000k, crystal, white

Order Information

LB60E27A2-F-5*1WW29-00	E27, 5W, 100-240VAC / DC, 2900k, matt, warm white
LB60E27A2-F-5*1WW29-10	E27, 5W, 100-240VAC / DC, 2900k, crystal, warm white